

key features & benefits

- ▶ Hybrid generator, dual-staged drive system, heavy-duty bearings and over-sized shafts deliver uncompromising performance and durability
- ▶ Large 16" LED console with CSAFE power port and USB charging



- ▶ Contact and wireless heart-rate sensors are compatible with industry-leading monitors
- ▶ One-touch quick resistance buttons



- ▶ Low side or rear entry step-on height with 20" natural stride and dual action handlebars deliver a total body workout
- ▶ Convenient reading rack/tablet holder and large bottle and accessory holder
- ▶ Heavy-duty, over-sized footplates



- ▶ A variety of exercise programs and 25 resistance levels engages users of all abilities
- ▶ Smooth Motion Technology™ delivers a quiet, comfortable and natural ride
- ▶ Zinc-dipped anti-corrosion coating for superior rust protection
- ▶ *OPTIONAL: 16" embedded touchscreen with TV, WiFi and Virtual Connect™ scenic videos*



E7 ELLIPTICAL
CIR-EL7000-C

It's one thing to look good, it's another to feel good. The E7 elliptical is the perfect combination of brilliant design, contemporary styling and comfort.



technical specs

Product Weight: 253 lbs.	Width: 27"	Length: 80"	Height: 70"
Power: Self-powered Certification: UC, CSA & CE Stride: 20" natural stride Step-On Height: 11.5" Resistance Range: 25 levels Flywheel: 22 lbs. User Weight: 500 lbs. Transport Wheels: Easy-to-move with front-mounted dual wheels Frame: Zinc-dipped, anti-corrosion coated heavy gauge steel Heart Rate Receiver: Contact & telemetric heart-rate sensors		Display: 16" LED Display Feedback: Time, distance, heart-rate, watts, RPM, levels, METs, calories, exercise summary report Programs: Target, rolling, valley, fat burn, ramp, strength, interval, fitness test & 4 HRC Standard Features: Hand pulse, heart-rate receiver chest belt comp.atible, reading rack/tablet holder, CSAFE power port & USB charging Warranty: 10 years frame, 3 years parts, 1 year wearable items & 1 year labor* <i>*Warranty extends to 5 years on parts if used in a light commercial setting, subject to approval</i>	

